



Safety equipment

# LOTO

Lockout - Tagout equipment

- Safety equipment for service work where lockout or shut-off is required



Make it better.

**MODU**<sup>®</sup>

# LOTO

## Lockout – Tagout equipment

### Lockout – Tagout locking plate for MODU Service Bracket

Ensures that the valve can not be operated unintentionally as the stem is fully encapsulated. Made of acid-proof stainless steel.


2 locking options for Ø5 ... 10mm locking hoop

Fastening eye for sign / strip

Bracket may also assist holding actuator and coupling during service. Fits all sizes of MODU Service Bracket

MSB-F34, MSB-F57, MSB-F71

Supplied without padlock, TAG and MSB



### Lockout – Locking device for valves with hand-wheel like seat-valves, gate-valves, piston-valves and diaphragm-valves

Ensures that the valve cannot be operated unintentionally as the hand-wheel cannot be turned. Made of durable PP plastic.

Sizes diameter:

- 25...64 mm hand-wheel
- 64...127 mm hand-wheel
- 127..165 mm hand-wheel
- 165..254 mm hand-wheel
- 254..330 mm hand-wheel
- 330..450 mm hand-wheel



### Lockout – Locking device for ball valves with handle

Ensures that the valve cannot be operated unintentionally as the lever cannot be turned. Made of durable PP plastic. Ø9mm holes for padlock.

Sizes:

- 13...64 mm pipe diameter [DN15 to DN65]
- 50...200 mm pipe diameter [DN50 to DN200]



### Developed for your industry



Additional specification can be requested.

### Make it better.

MODU Valves A/S • moduvalves.com

#### ➤ Improve the quality

We help Engineers to improve the quality of your manufacturing process.

#### ➤ Optimize total cost

We help Purchasing Officers to optimize total cost of production, prevent downtime and safeguard your brand.

#### ➤ Work smarter

We help Maintenance Crews to work smarter, while preventing time-consuming mistakes.

# LOTO

## Lockout – Tagout equipment

### Lockout – Locking device for flanged ball valves

Ensures that the valve cannot be operated unintentionally as the stem cannot be turned. The handle must be removed. Made of durable PP plastic. Ø9mm holes for padlock.

Fits following sizes:

- DN08....DN125



### Lockout – Tagout padlock with 2 x keys

Good protection against corrosion, high temperatures and chemicals. Lock case and hanger are protected against electrostatic discharges. Lightweight and compact padlock. Solid cylinder with 6 high precision pins. Made of aluminum.

Length: .....38mm

Width:..... Ø38 x Ø6mm




### Lockout – Tagout locking hook

Approved locking hook made of galvanized steel / plastic.

6 pcs. locking holes for Ø5 ... 10mm locking hoop

Can be used with locking plate for MODU Service Bracket



### Lockout – Tagout warning sign

Warning sign according to OSHA standard 1910.147

Made of rip-resistant foil / cardboard, with reinforced fastening sleeve.

Comes with heavy plastic strip.

Dimension: .....76x146mm, Ø9mm hole

Color: .....Red/white



### Lockout – Tagout varselsskilt


Warning sign according to OSHA standard 1910.147

Made of rip-resistant foil / cardboard, with reinforced fastening sleeve.

Comes with heavy plastic strip.

Dimension: .....76x146mm, Ø9mm hole

Color: .....White



**Make it better.**

MODU Valves A/S • moduvalves.com